

GATCON

TYRE SELECTION

BUS TYRES



GATCON
TRADING AND CONSULTING

www.gatcon.eu

Passenger operations



Passenger operations

tyre size	Average mileage, km
275/70R22,5 VC-1	215 000
245/70R19,5 FR-1	150 000
245/70R19,5 DR-1	165 000
295/80R22,5 FR-1	190 000
295/80R22,5 DR-1	150 000

VC-1, VR-1 TYRES FOR STEERING AND DRIVING AXLE, COACH/BUS



APPLICATION:

- Coach/Bus
- For steering and driving axle of buses and trolley-buses

ADVANTAGES:

- A new universal tread pattern provides economic efficiency when used on buses and trolley-buses in urban setting.
- Reinforced Side Guard protects the tyre from damage from road kerbs and other obstacles. The side wear indicator allows to easily check the tyre wear.
- Elevated tread pattern (up to 22 mm) of the VC-1 tyre guarantees reliable and longer tyre use.
- Tread rubber is more durable and wear-proof thanks to an increased number of active carbon-polymer interaction centers in the SMART-ENDURANCE blend.



TYRE SIZE	LOAD INDEX	SPEED INDEX
275/70R22.5	148/145 (152/148)	100 (J), 70 (E)
245/70R19.5	136/134	110 (K)



COACH/BUS



VC-1

VR-1

STEER



VC-1

VR-1

DRIVE





For further information and enquiries, please visit our website:

www.gatcon.eu